1976 Index to Optical Engineering

Volume Index

Volume 15, No. 1, January/February

Optics and Batelle (Guest Editorial), Frederick J. Milford, Carl M. Verber 5
A New Astronomical Polarimeter, R. A. Stokes, P. A. Ekstrom, J. B. Swedlund 7
Integrated Optics Devices Utilizing Thick Phase Gratings, R. P. Kenan, D. W. Vahey, N. F. Hartman, V. E. Wood, C. M. Verber 12
A Simple 100 MW Tunable CO_2 TEA Laser Volumetrically Excited without Using Any Preionization, H. Jetter, K. Gurs 17
Optical Digital Recording, J. T. Russell, R. A. Walker 20
A Holographic Instrument to Replace the Test Glass in Lens Testing, B. P. Hildebrand 24
"Real-Time" Diagnostics for a Laser Fusion System, D. C. Applebaum, D. R. Grieser, J. W. Beal, H. M. Epstein, P. J. Mallozzi 29
Infrared Modulator for Optical Sensors Based on a Vibrating Fabry-Perot Interferometer, E. G. Lierke 35
Determination of Internal Temperatures within Semitransparent Media by Means of Emitted Radiation, Richard A. McCann 39
High-Speed Surface Flaw Inspection, F. Reich, W. J. Coleman 48
Performance of High Visibility Wet-Night Highway Lane Dividers, Daniel R. Grieser, Charles E. Moeller, Michael M. Epstein, Joseph R. Preston 52
A Visible Wavelength COAT Array, M. J. Lavan, W. K. Cadwallender, T. F. DeYoung 56
Practical Electro-Optic Deflection Measurements System, L. D. Hutcheson 61
Spot Shaping and Incoherent Optical Smoothing for Raster Scanned Imagery, Robert A. Gonsalves, Philip S. Considine . 64
Evaluation of Expanded Laser Beams Using an Optical Flat, M. Lurie 68

Volume 15, No. 2, March/April

Laser Recording and Information Handling—A Special Report for the Record (Guest Editorial), Leo Beiser 75
Gas Lasers for Recording and Information Handling—A Review, Robert J. Buzzard 77
Laser Noise in Writing Applications, A. D. Berg, J. P. Wheeler 84
Optics for Laser Scanning, R. E. Hopkins, M. J. Buzawa 90
Scanning Accuracy of the Moving-Iron Galvanometer Scanner, Pierre Brosens 95
Review & Analysis of Optical Recording Media, R. A. Bartolini, H. A. Weakliem, B. F. Williams 99
Optical and Magnetic Digital Recording—A Comparative Review, Samuel Bousky 109
Advantages of Color Laser Recorders for Producing Landsat Large Format Images, John E. Polger, Arnold R. Shulman . . . 115
Laser Color Recording Directly on Nine-Inch Color Film, Merle Hannah, William Harris 119
Distinguishable Density Levels in Image Recording of Earth Resources, Steven Scott Beiser 124
CW Semiconductor Injection Lasers in Information Handling Systems, J. P. Wittke, I. Gorog, A. H. Firester . . . 128
Optical Design Problems in Laser Systems (Guest Editorial), Malcolm L. Stitch 130
Lasers and Optics—An Overview, W. R. Sooy 131
High Energy Glass Lasers, James A. Glaze 136
Optical Design for Lasers in Surgery, Michael Bass 143
Lateral Interferometry—Its Characteristics, Technology and Applications, Sandor Holly 146
Compensation of Propagation Distortions Using Coherent Optical Adaptive Techniques (COAT), James E. Pearson 151
High Power Optics, Michael Monsler 158
Generating an Error Analysis for an Airborne Radiometric System, A. J. Verderese 166
Compact Holographic Storage and Projection of Two-Dimensional Movies, Joseph C. Palais, James M. Watson, Stephen A. Morrison 173
A Step Height Interferometer with One Nanometer Resolution, A. W. Hartman 180

Volume 15, No. 3, May/June

Optical Engineering in Great Britain (Guest Editorial), L. R. Baker 189
Coherent Photofabrication, M. C. Hutley 190
Refracting Replica Aspheric Optics, H. Howden, J. A. Clarke 197
Recent Applications of Coherent Optics in Aerospace Research, J. B. Abbiss, M. J. Marchant, A. C. Marchant 202
Importance of Spectral Bandwidth in Quality Assurance of Night Vision Lenses, W. A. Shand 211
Collimated Displays for Flight Simulation, A. Michael Spooner 215
Production and Assessment of Supersmooth Optical Surfaces, K. Lindsey and A. B. Penfold 220
Recent Developments in National Physical Laboratory X-Ray Gratings and Spectrometers, A. Franks, D. W. Butler, B. Gale, M. Stedman, P. R. Stuart 226
Some Aspects of Large Zoom Lens Production, Anthony St. E. Cardew 231
A Quantitative Image Analysis System, B. M. Hopkins 236
Instrument for Testing Telecommunications Optical Fibres, I. S. Few 241
Surface Inspection of Optical and Semiconductor Components, L. R. Baker, B. J. Biddles 244
The Optical Micrometer, R. V. Jones 247
A Field Test Set for Night Vision Devices, N. B. Evershed, G. S. Richards 251
An Infrared Spectrophotometer for Studying Airglow, W. J. Bates, M. A. Player, J. G. Roberts . 255
Scale Invariant Optical Transform, David Casasent, Demetri Psaltis 258
Proposed Image Space Scanner with Reduced Off-Axis Defocusing, A. W. Hartman 262
Design and Manufacture of Large Beryllium Optics, Robert R. Altenhof 265
Speckle Reduction by Spatial Sampling, Robert W. Lewis 274
Equivalence of Annular Source and Dynamic Coherent Phase Contrast Viewing Systems, D. J. Cronin, J. B. DeVelis, G. O. Reynolds 276
Comment on Sensitivity Improvement by Step-Biasing in Holographic Interferometry, P. Hariharan 279

Volume 15, No. 4, July/August

Instrumentation in Vision (Guest Editorial), William N. Rosenblum 285
A Remote Subjective Refractor Employing Continuously Variable Sphere-Cylinder Corrections, William E. Humphrey 286
Putting the Knife Edge to the Eye, R. C. Mohrman, H. A. Knoll 292
An Automated Miniaturized Haploscope for Testing Binocular Visual Function, Thomas A. Decker, Robert E. Williams, Christian L. Kuether, Diane Wyman-Cornsweet 296
Objective and Automated Measurement of Dynamic Vision Functions, Merton C. Flom, Anthony J. Adams . . . 304
A New Photokeratoscopic Technique, Sami G. El Hage 308
The American Optical Non-Contact Tonometer—A Status Report 1976, Bernard Grolman 312
Slip Lamp Fluorophotometry, Ronald E. Furukawa, Kenneth A. Polse, Yasufumi Emori 321
A Portable Filter Anomaloscope, Thomas P. Piantanida 325
Simplified Talbot Interferometers for Lens Testing, Stephen A. Benton, Dwight P. Merrill . . 328
Spincasting Contact Lenses, W. F. Coombs, H. A. Knoll 332
Medical Applications of Optics (Guest Editorial), William R. Hendee 334
Acceptance Testing and Performance Monitoring of Radiographic Phototimers, David L. Hare, William R. Hendee, Raymond P. Rossi, Edward L. Chaney 335
Considerations on the Falling Load Principle, Martin Braun 338
Physical Theory of Xeroradiography and the Observation of Photon Noise, F. W. Schmidlin, V. Dryden, M. Canon, F. Yang 344

Characteristics and Limitations of Photographic Films Used in Subtraction Radiography, Michael G. Ort and Earle C. Gregg 349
Focal Spot Measurements for Quality Control Purposes Using a Random Object Distribution, J. E. Gray, M. Trefler 353
Electro-Optical Color Sorting of Agricultural Particles, N. S. Kopeika, B. Gafni, A. Greenfeld . . 360
Design of a Large Aperture Infrared Optical System, Robert R. Altenhof 364
The Time-Frequency Error Product in Time-Resolved Spectroscopy, H. J. Caulfield, T. B. Hirschfeld, A. D. Williams 368
Error Modes and Probabilities for UPC Symbol Scanning, B. Arlen Young 371
Use of Our Specially Designed Nonachromatic Microscope Objective to Examine Tracks in Nuclear Emulsions, J. S. Courtney-Pratt. 379
A Step Height Interferometer with One Nanometer Resolution, A. W. Hartman 363

Volume 15, No. 5, September/October

Optical Fabrication and Testing (Guest Editorial), Jay M. Eastman, T. T. Saito, Robert Parks. 389
Specifications and Tolerances, Optical Style—A Commentary (Guest Editorial), Warren J. Smith 390
Surface Structure of Fine Ground Surface, Wiktor Rupp. 392
Spherical Lens Generating, John L. Plummer 398
Computer Controlled Generation of Rotationally Symmetric Aspheric Surfaces, Daniel J. Bajuk 401
Annular Lapping of Precision Optical Flatware, Frank Cooke, Norman Brown, E. Prochnow. 407
Design of a High Speed Optical Production Line, James J. Bohache, Gih-Horng Chen, Duncan T. Moore 416
Axisymmetric Aspheric Lens Figuring for the Small Shop, Norman J. Brown 424
Some Thoughts on Lens Mounting, Robert E. Hopkins 428
Diamond Turning of Optics, Theodore T. Saito. 431
Epoxy Replication of Optics, Harold M. Weissman 435
Fabricating Infrared Optics, H. E. Bennett, M. J. Soileau 442
Diffraction Gratings, Erwin G. Loewen 446
High Transparency Infrared Materials—A Technology Update, Perry Miles. 451
A Moire Technique for Rapid Alignment, Focus, and Scaling of Imagery, Alex Grumet. 460
An Oblique Incidence Interferometer, M. V. R. K. Murty, R. P. Shukla 461
Mach-Zehnder Heterodyne Interferometer, M. J. Lavan, G. E. Van Damme, W. K. Cadwallender. 464
Coherent Optical Simulation of Radar Imagery, Fred M. Dickey 467
Status of Fiber Optic Research in the USA, Larry L. Campbell 472
High Efficiency Grating Lateral Shear Interferometer, D. A. Thomas, J. C. Wyant. 477
Laser Beam Divergence in Short Interferometers, W. S. Radcliffe 478
Putting the Knife Edge to the Eye, R. C. Mohrman, H. A. Knoll. 466

Volume 15, No. 6, November/December

Applications of Infrared Technology (Guest Editorial), R. Barry Johnson 483
Infrared Technology Fundamentals, G. J. Zissis 484
Performance of Nearly BLIP Detectors in Infrared Sensors, Hamilton Barhydt. 498
Applications of the Pyroelectric Vidicon, T. Conklin, E. H. Stupp 510
Low-Scatter Mirror Degradation by Particle Contamination, R. P. Young 516
Measurements and Calculations of Atmospheric Transmittance and Radiance, M. J. Persky, J. M. Weinberg. 521
Static Performance Model for Thermal Imaging Systems, James A. Ratches 525
Specification of Thermal Imagers, James T. Wood, William J. Bentz, Thomas Pohle, Kenneth Hepfer 531
Trends in the Development of Radiometry, Jon Geist. 537
Implementation of a System of Optical Calibration Based on Pyroelectric Radiometry, W. M. Doyle, B. C. McIntosh, Jon Geist . 541
AEDC Long Wavelength Infrared Test Facilities, Frederick Arnold, F. W. Nelms 549
A Passive Thermal Screen for Infrared Scene Simulation, W. H. Purdy, Walter E. Woehl 554
Microdensitometer Optical Performance: Scalar Theory and Experiment, Richard E. Swing 559
Slotted Apertures for Multiplying Grating Frequencies and Sharpening Fringe Patterns in Moire Photography, Gary Cloud 578

Index of Authors

Abbiss, J. B., 15:3:202
Adams, Anthony J., 15:4;304
Altenhof, Robert R., 15:3:265, 15:4:364
Applebaum, D. C., 15:1:29
Arnold, Frederick, 15:6:549

Bajuk, Daniel J., 15:5:401
Baker, L. R., 15:3:189, 15:3:244
Barhydt, Hamilton, 15:6:498
Bartolini, R. A., 15:2:99
Bass, Michael, 15:2:143
Bates, W. J., 15:3:255
Beal, J. W., 15:1:29
Beiser, Leo, 15:2:75
Beiser, Steven Scott, 15:2:124
Bennett, H. E., 15:5:442
Benton, Stephen A., 15:4:328
Bentz, William J., 15:6:531
Berg, A. D., 15:2:84
Biddles, B. J., 15:3:244
Bohache, James J., 15:5:416
Bousky, Samuel, 15:2:109
Braun, Martin, 15:4:338
Brosens, Pierre, 15:2:95
Brown, Norman, 15:5:407
Brown, Norman J., 15:5:424
Butler, D. W., 15:3:226
Buzawa, M. J., 15:2:90
Buzzard, Robert J., 15:2:77

Cadwallender, W. K., 15:1:56, 15:5:464
Campbell, Larry L., 15:5:472
Canon, M., 15:4:344
Cardew, Anthony St. E., 15:3:231
Casasent, David, 15:3:258
Caulfield, H. J., 15:4:368
Chaney, Edward L., 15:4:335
Chen, Gih-Horng, 15:5:416
Clarke, J. A., 15:3:197
Cloud, Gary, 15:6:578
Coleman, W. J., 15:1:44, 15:1:48
Conklin, T., 15:6:510
Considine, Philip S., 15:1:64
Cooke, Frank, 15:5:407
Coombs, W. F., 15:4:332
Courtney-Pratt, J. S., 15:4:379
Cronin, D. J., 15:3:276

Decker, Thomas A., 15:4:296
DeVelis, J. B., 15:3:276
DeYoung, T. F., 15:1:56
Dickey, Fred M., 15:5:467
Doyle, W. M., 15:6:541
Dryden, V., 15:4:344

Eastman, Jay M., 15:5:389
Ekstrom, P. A., 15:1:7
El Hage, Sami G., 15:4:308
Emori, Yasufumi, 15:4:321
Epstein, H. M., 15:1:29
Epstein, Michael M., 15:1:52
Evershed, N. B., 15:3:251

Few, I. S., 15:3:241
Flom, Merton C., 15:4:304
Franks, A., 15:3:226
Furukawa, Ronald E., 15:4:321

Gafni, B., 15:4:360
Gale, B., 15:3:226
Geist, Jon, 15:6:541, 15:6:537
Glaze, James A., 15:2:136
Gonsalves, Robert A., 15:1:64
Gray, J. E., 15:4:353
Greenfeld, A., 15:4:360
Gregg, Earle C., 15:4:349
Grieser, D. R., 15:1:29
Grieser, Daniel R., 15:1:52
Grolman, Bernard, 15:4:312
Grumet, Alex, 15:5:460
Gurs, K., 15:1:17

Hannah, Merle, 15:2:119
Hare, David L., 15:4:335
Hariharan, P., 15:3:279
Harris, William, 15:2:119
Hartman, A. W., 15:3:262, 15:2:180
Hartman, N. F., 15:1:12
Hendee, William R., 15:4:334, 15:4:335
Hepfer, Kenneth, 15:6:531
Hildebrand, B. P., 15:1:24
Hirschfeld, T. B., 15:4:368
Holly, Sandor, 15:2:146
Hopkins, B. M., 15:3:236
Hopkins, R. E., 15:2:90
Hopkins, Robert E., 15:5:428
Howden, H., 15:3:197
Humphrey, William E., 15:4:286
Hutcheson, L. D., 15:1:61
Hutley, M. C., 15:3:190

Jetter, H., 15:1:17

Johnson, R. Barry, 15:6:483
Jones, R. V., 15:3:247

Kenan, R. P., 15:1:12
Knoll, H. A., 15:4:292, 15:4:332
Kopeika, N. S., 15:4:360
Kuether, Christian L., 15:4:296

Lavan, M. J., 15:1:56, 15:5:464
Lewis, Robert W., 15:3:274
Lierke, E. G., 15:1:35
Lindsey, K., 15:3:220
Loewen, Erwin G., 15:5:446
Lurie, M., 15:1:68

Mallozzi, P. J., 15:1:29
Marchant, A. C., 15:3:202
Marchant, M. J., 15:3:202
McCann, Richard A., 15:1:39
McIntosh, B. C., 15:6:541
Merrill, Dwight P., 15:4:328
Miles, Perry, 15:5:451
Milford, Frederick J., 15:1:5
Moeller, Charles E., 15:1:52
Mohrman, R. C., 15:4:292
Monsler, Michael, 15:2:158
Moore, Duncan T., 15:5:416
Morrison, Stephen A., 15:2:173
Murty, M. V. R. K., 15:5:461

Nelms, F. W., 15:6:549

Ort, Michael G., 15:4:349

Palais, Joseph C., 15:2:173
Parks, Robert, 15:5:389
Pearson, James E., 15:2:151
Penfold, A. B., 15:3:220
Persky, M. J., 15:6:521
Piantanida, Thomas P., 15:4:325
Player, M. A., 15:3:255
Plummer, John L., 15:5:398
Pohle, Thomas, 15:6:531
Polger, John E., 15:2:115
Polse, Kenneth A., 15:4:321
Preston, Joseph R., 15:1:52
Prochnow, Eberhard, 15:5:407
Psaltis, Demetri, 15:3:258
Purdy, W. H., 15:6:554

Radcliffe, W. S., 15:5:478
Ratches, James A., 15:6:525
Reich, F., 15:1:48, 15:1:44
Reynolds, G. O., 15:3:276

Richards, G. S., 15:3:251
Roberts, J. G., 15:3:255
Rosenblum, William N., 15:4:285
Rossi, Raymond P., 15:4:335
Rupp, Wiktor, 15:5:392
Russell, J. T., 15:1:20

Saito, Theodore T., 15:5:389, 15:5:431
Schmidlin, F. W., 15:4:344
Shand, W. A., 15:3:211
Shukla, R. P., 15:5:461
Shulman, Arnold R., 15:2:115
Smith, Warren J., 15:5:390
Soileau, M. J., 15:5:442
Sooy, W. R., 15:2:131
Spooner, A. Michael, 15:3:215
Stedman, M., 15:3:226
Stitch, Malcolm L., 15:2:130
Stokes, R. A., 15:1:7
Stuart, P. R., 15:3:226
Stupp, E. H., 15:6:510
Swedlund, J. B., 15:1:7
Swing, Richard E., 15:6:559

Thomas, D. A., 15:5:477
Trefler, M., 15:4:353

Vahey, D. W., 15:1:12
Van Damme, G. E., 15:5:464
Verber, C. M., 15:1:12
Verber, Carl M., 15:1:5
Verderese, A. J., 15:2:166

Walker, R. A., 15:1:20
Watson, James M., 15:2:173
Weakliem, H. A., 15:2:99
Weinberg, J. M., 15:6:521
Weissman, Harold M., 15:5:435
Wheeler, J. P., 15:2:84
Williams, A. D., 15:4:368
Williams, B. F., 15:2:99
Williams, Robert E., 15:4:296
Woehl, Walter E., 15:6:554
Wood, James T., 15:6:531
Wood, V. E., 15:1:12
Wyant, J. C., 15:5:477
Wyman-Cornsweet, Diane, 15:4:296

Yang, F., 15:4:344
Young, B. Arlen, 15:4:371
Young, R. P., 15:6:516

Zissis, G. J., 15:6:484

Subject Index

AEDC long wavelength infrared test facilities, 15:6:549
Acceptance testing (and) performance monitoring (of) radiographic phototimers, 15:4:335
Accuracy (of) moving-iron galvanometer scanner, scanning, 15:2:95
Adaptive techniques (COAT), compensation (of) propagation distortions (using) coherent optical, 15:2:151
Advantages (of) color laser recorders (for) producing Landsat large format images, 15:2:115
Aerospace research, recent applications (of) coherent optics (in), 15:3:202
Agricultural particles, electro-optical color sorting (of), 15:4:360
Airborne radiometric system, generating (an) error analysis (for), 15:2:166
Airglow, infrared spectrophotometer (for) studying, 15:3:255
Alignment, focus (and) scaling (of) imagery, moire technique (for) rapid, 15:5:460
American Optical non-contact Tonometer—status report 1976, 15:4:312
Analysis (for) airborne radiometric system, generating (an) error, 15:2:166
Analysis (of) optical recording media, review (and), 15:2:99
Analysis system, quantitative image, 15:3:236
Annular lapping (of) precision optical flatware, 15:5:407
Annular source (and) dynamic coherent phase contrast viewing systems, equivalence (of), 15:3:276
Anomaloscope, portable filter, 15:4:325
Aperture infrared optical system, design (of) large, 15:4:364
Apertures (for) multiplying grating frequencies (and) sharpening fringe patterns (in) moire photography, slotted, 15:6:578
Applications (of) coherent optics (in) aerospace research, recent, 15:3:202
Applications (of) infrared technology (guest editorial), 15:6:483
Applications, laser noise (in) writing, 15:2:84
Applications, lateral interferometry—(its) characteristics, technology (and), 15:2:146
Applications (of) optics, medical, 15:4:334
Applications (of the) pyroelectric vidicon, 15:6:510
Array, visible wavelength COAT, 15:1:56
Aspects (of) large zoom lens production, (some), 15:3:231
Aspheric lens figuring (for) small shop, axisymmetric, 15:5:424
Aspheric optics, refracting replica, 15:3:197
Aspheric surfaces, computer controlled generation (of) rotationally symmetric, 15:5:401
Assessment (of) supersmooth optical surfaces, production (and), 15:3:220
Astronomical polarimeter, new, 15:1:7
Atmospheric transmittance (and) radiance, measurements (and) calculations (of), 15:6:521
Automated measurement (of) dynamic vision functions, objective (and), 15:4:304
Automated miniaturized haploscope (for) testing binocular visual function, 15:4:296
Axisymmetric aspheric lens figuring (for the) small shop, 15:5:424

BLIP detectors (in) infrared sensors, performance (of) nearly, 15:6:498
Bandwidth (in) quality assurance (of) night vision lenses, importance (of) spectral, 15:3:211
Beam divergence (in) short interferometers, laser, 15:5:478
Beams (using) optical flat, evaluation (of) expanded laser, 15:1:68
Beryllium optics, design (and) manufacture (of) large, 15:3:265
Binocular visual function, automated miniaturized haploscope (for) testing, 15:4:296

CO_2 TEA laser volumetrically excited (without using any) preionization, simple 100 MW tunable, 15:1:17
COAT array, visible wavelength, 15:1:56
(COAT), compensation (of) propagation distortions (using) coherent optical adaptive techniques, 15:2:151
Calibration (based on) pyroelectric radiometry, implementation (of a) system (of) optical, 15:6:541
Calculations (of) atmospheric transmittance (and) radiance, measurements (and), 15:6:521
Characteristics (and) limitations (of) photographic films (used in) subtraction radiography, 15:4:349
Characteristics, technology (and) applications, lateral interferometry—(its), 15:2:146
Coherent optical adaptive techniques (COAT), compensation (of) propagation distortions (using), 15:2:151
Coherent optical simulation (of) radar imagery, 15:5:467
Coherent optics (in) aerospace research, recent applications (of), 15:3:202
Coherent phase contrast viewing systems, equivalence (of) annular source (and) dynamic, 15:3:276
Coherent photofabrication, 15:3:190
Collimated displays (for) flight simulation, 15:3:215
Color laser recorders (for) producing Landsat large format images, advantages (of), 15:2:115
Color recording (directly on) nine-inch color film, laser, 15:2:119
Color sorting (of) agricultural particles, electro-optical, 15:4:360
Comment (on) sensitivity improvement (by) step-biasing (in) holographic interferometry, 15:3:279
Compact holographic storage (and) projection (of) two-dimensional movies, 15:2:173
Comparative review, optical (and) magnetic digital recording—, 15:2:109
Compensation (of) propagation distortions (using) coherent optical adaptive techniques (COAT), 15:2:151
Components, surface inspection (of) optical (and) semiconductor, 15:3:244
Computer controlled generation (of) rotationally symmetric aspheric surfaces, 15:5:401
Considerations (on the) falling load principle, 15:4:338
Contact lenses, spincasting, 15:4:332
Contamination, low-scatter mirror degradation (by) particle, 15:6:516
Contrast viewing systems, equivalence (of) annualr source (and) dynamic coherent phase, 15:3:276
Control purposes (using a) random object distribution, focal spot measurements (for) quality, 15:4:353
Controlled generation (of) rotationally symmetric aspheric surfaces, computer, 15:5:401
Corrections, remote subjective refractor (employing) continuously variable sphere-cylinder, 15:4:286
Cylinder corrections, remote subjective refractor (employing) continuously variable sphere-, 15:4:286

Deflection measurements system, practical electro-optic, 15:1:61
Defocusing, proposed image space scanner (with) reduced off-axis, 15:3:262
Degradation (by) particle contamination, low-scatter mirror, 15:6:516
Density levels (in) image recording (of) earth resources, distinguishable, 15:2:124
Design (of a) high speed optical production line, 15:5:416
Design (of a) large aperture infrared optical system, 15:4:364
Design (for) lasers (in) surgery, optical, 15:2:143
Design (and) manufacture (of) large beryllium optics, 15:3:265
Design problems (in) laser systems, optical, 15:2:130
Detectors (in) infrared sensors, performance (of) nearly BLIP, 15:6:498
Determination (of) internal temperatures (within) semitransparent media (by means of) emitted radiation, 15:1:39
Development (of) radiometry, trends (in the), 15:6:537
Developments (in) National Physical Laboratory x-ray gratings (and) spectrometers, recent, 15:3:226
Devices, field test set (for) night vision, 15:3:251
Devices (utilizing) thick phase gratings, integrated optics, 15:1:12
Diagnostics (for) laser fusion system, real-time, 15:1:29
Diamond turning (of) optics, 15:5:431
Diffraction gratings, 15:5:446
Digital recording—comparative review, optical (and) magnetic, 15:2:109
Digital recording, optical, 15:1:20
Displays (for) flight simulation, collimated, 15:3:215
Distinguishable density levels (in) image recording (of) earth resources, 15:2:124
Distortions (using) coherent optical adaptive techniques (COAT), compensation (of) propagation, 15:2:151
Distribution, focal spot measurements (for) quality control purposes (using) random object, 15:4:353
Divergence (in) short interferometers, laser beam, 15:5:478
Dividers, performance (of) high visibility wet-night highway lane, 15:1:52
Dynamic coherent phase contrast viewing systems, equivalence (of) annular source (and), 15:3:276
Dynamic vision functions, objective (and) automated measurement (of), 15:4:304

Earth resources, distinguishable density levels (in) image recording (of), 15:2:124

Efficiency grating lateral shear interferometer, high, 15:5:477
Electro-optic deflection measurements system, practical, 15:1:61
Electro-optical color sorting (of) agricultural particles, 15:4:360
Electro-optics, high-speed profile measurement (with), 15:1:44
Emitted radiation, determination (of) internal temperatures (within0 semitransparent media (by means of), 15:1:39
Emulsions, (use of our specially designed) nonachromatic microscope objective (to) examine tracks (in) nuclear, 15:4:379
Energy glass lasers, high, 15:2:136
Engineering (in) Great Britain, optical, 15:3:189
Epoxy replication (of) optics, 15:5:435
Equivalence (of) annular source (and) dynamic coherent phase contrast viewing systems, 15:3:276
Error analysis (for) airborne radiometric system, generating (an), 15:2:166
Error modes (and) probabilities (for) UPC symbol scanning, 15:4:371
Error product (in) time-resolved spectroscopy, time-frequency, 15:4:368
Evaluation (of) expanded laser beams (using an) optical flat, 15:1:68
Expanded laser beams (using) optical flat, evaluation (of), 15:1:68
Experiment, microdensitometer optical performance—scalar theory (and), 15:6:559
Eye, putting knife edge (to), 15:4:292
Errata 15:5:466

Fabricating infrared optics, 15:5:442
Fabrication (and) testing, optical, 15:5:389
Fabry-Perot interferometer, infrared modulator (for) optical sensors (based on) vibrating, 15:1:35
Falling load principle, (considerations on), 15:4:338
Fiber optic research (in) USA, (status of), 15:5:472
Fibres, instrument (for) testing telecommunications optical, 15:3:241
Field test set (for) night vision devices, 15:3:251
Figuring (for) small shop, axisymmetric aspheric lens, 15:5:424
Film, laser color recording (directly on) nine-inch color, 15:2:119
Films (used in) subtraction radiography, characteristics (and) limitations (of) photographic, 15:4:349
Filter anomaloscope, portable, 15:4:325
Fine ground surface, surface structure (of), 15:5:392
Flat, evaluation (of) expanded laser beams (using) optical, 15:1:68
Flatware, annular lapping (of) precision optical, 15:5:407
Flaw inspection, high-speed surface, 15:1:48
Flight simulation, collimated displays (for), 15:3:215
Fluorophotometry, slit lamp, 15:4:321
Focal spot measurements (for) quality control purposes (using a) random object distribution, 15:4:353
Focus, (and) scaling (of) imagery, moire technique (for) rapid alignment, 15:5:460
Format images, advantages (of) color laser recorders (for) producing Landsat large, 15:2:115
Frequencies (and) sharpening frings patterns (in) moire photography, slotted apertures (for) multiplying grating, 15:6:578
Frequency error product (in) time-resolved spectroscopy, time-, 15:4:368
Fringe patterns (in) moire photography, slotted apertures (for) multiplying grating frequencies (and) sharpening, 15:6:578
Function, automated miniaturized haploscope (for) testing binocular visual, 15:4:296
Functions, objective (and) automated measurement (of) dynamic vision, 15:4:304
Fundamentals, infrared technology, 15:6:484
Fusion system, real-time diagnostics (for) laser, 15:1:29

Galvanometer scanner, scanning accuracy (of) moving-iron, 15:2:95
Gas lasers (for) recording (and) information handling—(a review), 15:2:77
Generating (an) error analysis (for an) airborne radiometric system, 15:2:166
Generating, spherical lens, 15:5:398
Generation (of) rotationally symmetric aspheric surfaces, computer controlled, 15:5:401
Glass lasers, high energy, 15:2:136
Glass (in) lens testing, holographic instrument (to replace the) test, 15:1:24
Grating frequencies (and) sharpening fringe patterns (in) moire photography, slotted apertures (for) multiplying, 15:6:578
Grating lateral shear interferometer, high efficiency, 15:5:477
Gratings, diffraction, 15:5:446
Gratings, integrated optics devices (utilizing) thick phase, 15:1:12
Gratings (and) spectrometers, (recent developments in) National Physical Laboratory x-ray, 15:3:226
Great Britain, optical engineering in, 15:3:189
Ground surface, surface structure (of) fine, 15:5:392

Haploscope (for) testing binocular visual function, automated miniaturized, 15:4:296
Heterodyne interferometer, Mach-Zehnder, 15:5:464
High efficiency grating lateral shear interferometer, 15:5:477
High energy glass lasers, 15:2:136
High power optics, 15:2:158
High speed optical production line, (design of), 15:5:416
High speed profile measurement (with) electro-optics, 15:1:44
High-speed surface flaw inspection, 15:1:48
High transparency infrared materials—(a) technology update, 15:5:451
High visibility wet-night highway lane dividers, (performance of), 15:1:52
Highway lane dividers, (performance of) high visibility wet-night, 15:1:52
Holographic instrument (to replace the) test glass (in) lens testing, 15:1:24
Holographic interferometry, (comment on) sensitivity improvement (by) step-biasing (in), 15:3:279
Holographic storage (and) projection (of) two-dimensional movies, compact, 15:2:173

Image analysis system, quantitative, 15:3:236
Image recording (of) earth resources, distinguishable density levels (in), 15:2:124
Image space scanner (with) reduced off-axis defocusing, (proposed), 15:3:262
Imagers, specification (of) thermal, 15:6:531
Imagery, coherent optical simulation (of) radar, 15:5:467
Imagery, moire technique (for) rapid alignment, focus, (and) scaling (of), 15:5:460
Imagery, spot shaping (and) incoherent optical smoothing (for) raster scanned, 15:1:64
Images, (advantages of) color laser recorders (for) producing Landsat large format images, 15:2:115
Imaging systems, static performance model (for) thermal, 15:6:525
Implementation (of a) system (of) optical calibration based (on) pyroelectric radiometry, 15:6:541
Importance (of) spectral bandwidth (in) quality assurance (of) night vision lenses, 15:3:211
Improvement (by) step-biasing (in) holographic interferometry, (comment on) sensitivity, 15:3:279
Incidence interferometer, oblique, 15:5:461
Incoherent optical smoothing (for) raster scanned imagery, spot shaping (and), 15:1:64
Information handling—(review), gas lasers (for) recording (and), 15:2:77
Information handling—(special report for record), laser recording (and), 15:2:75
Infrared materials—(technology update), high transparency, 15:5:451
Infrared modulator (for) optical sensors (based on a) vibrating Fabry-Perot interferometer, 15:1:35
Infrared optical system, (design of) large aperture, 15:4:364
Infrared optics, fabricating, 15:5:442
Infrared scene simulation, (a) passive thermal screen (for), 15:6:554
Infrared sensors, performance (of) nearly BLIP detectors (in), 15:6:498
Infrared spectrophotometer (for studying) airglow, 15:3:255
Infrared technology, applications (of), 15:6:483
Infrared technology fundamentsls, 15:6:484
Infrared test facilities, AEDC long wavelength, 15:6:549
Inspection, high-speed surface flaw, 15:1:48
Inspection (of) optical (and) semiconductor components, surface, 15:3:244
Instrument (for) testing telecommunications optical fibres, 15:3:241
Instrument (to replace the) test glass (in) lens testing, holographic, 15:1:24
Instrumentation (in) vision (guest editorial), 15:4:285
Integrated optics devices (utilizing) thick phase gratings, 15:1:12
Interferometer, high efficiency grating lateral shear, 15:5:477
Interferometer, infrared modulator (for) optical sensors (based on) vibrating Fabry-Perot, 15:1:35
Interferometer, Mach-Zehnder heterodyne, 15:5:464
Interferometer, oblique incidence, 15:5:461
Interferometer (with) one nanometer resolution step height, 15:2:180
Interferometers, laser beam divergence (in) short, 15:5:478

Interferometers (for) lens testing, simplified Talbot, 15:4:328
Interferometry—(its) characteristics, technology (and) applications, lateral, 15:2:146
Interferometry, (comment on) sensitivity improvement (by) step-biasing (in) holographic, 15:3:279
Internal temperatures (within) semitransparent media (by means of) emitted radiation, determination (of), 15:1:39
Invariant optical transform, scale, 15:3:258
Iron galvanometer scanner, scanning accuracy (of) moving—, 15:2:95

Knife edge (to the) eye, (putting), 15:4:292

Lamp fluorophotometry, slit, 15:4:321
Landsat large format images, (advantages of) color laser recorders (for) producing, 15:2:115
Lane dividers, performance (of) high visibility wet-night highway, 15:1:52
Lapping (of) precision optical flatware, annular, 15:5:407
Large aperture infrared optical system, (design of), 15:4:364
Large beryllium optics, design (and) manufacture (of), 15:3:265
Large format images, (advantages of) color laser recorders (for producing) Landsat, 15:2:115
Large zoom lens production, (some aspects of), 15:3:231
Laser beam divergence (in) short interferometers, 15:5:478
Laser beams (using) optical flat, evaluation (of) expanded, 15:1:68
Laser color recording (directly on) nine-inch color film, 15:2:119
Laser fusion system, real-time diagnostics (for), 15:1:29
Laser noise (in) writing applications, 15:2:84
Laser recorders (for producing) Landsat large format images, (advantages of) color, 15:2:115
Laser recording (and) information handling—(a special report for the record) (guest editorial), 15:2:75
Laser scanning, optics (for), 15:2:90
Laser systems, optical design problems (in), 15:2:130
Laser volumetrically excited (without using any) preionization, simple 100 MW tunable CO_2 TEA, 15:1:17
Lasers, high energy glass, 15:2:136
Lasers (and) optics—(an overview), 15:2:131
Lasers (for) recording (and) information handling—(review), gas, 15:2:77
Lasers (in) surgery, optical design (for), 15:2:143
Lateral interferometry—(its) characteristics, technology (and) applications, 15:2:146
Lateral shear interferometer, high efficiency grating, 15:5:477
Lens figuring (for) small shop, axisymmetric aspheric, 15:5:424
Lens generating, spherical, 15:5:398
Lens mounting, (some thoughts on), 15:5:428
Lens production, (some aspects of) large zoom, 15:3:231
Lens testing, holographic instrument (to replace the) test glass (in), 15:1:24
Lens testing, simplified Talbot interferometers (for), 15:4:328

Lenses, (importance of) spectral bandwidth (in) quality assurance (of) night vision, 15:3:211
Lenses, spincasting contact, 15:4:332
Levels (in) image recording (of) earth resources, distinguishable density, 15:2:124
Limitations (of) photographic films (used in) subtraction radiography, characteristics (and), 15:4:349
Load principle, (considerations on) falling, 15:4:338
Long wavelength infrared test facilities, AEDC, 15:6:549
Low-scatter mirror degradation (by) particle contamination, 15:6:516

Mach-Zehnder heterodyne interferometer, 15:5:464
Magnetic digital recording—(comparative review), optical (and), 15:2:109
Manufacture (of) large beryllium optics, design (and), 15:3:265
Materials—technology update, high transparency infrared, 15:5:451
Measurement (of) dynamic vision functions, objective (and) automated, 15:4:304
Measurement (with) electro-optics, high-speed profile, 15:1:44
Measurements (and) calculations (of) atmospheric transmittance (and) radiance, 15:6:521
Measurements (for) quality control purposes (using a) random object distribution, focal spot, 15:4:353
Measurements system, practical electro-optic deflection, 15:1:61
Media, review (and) analysis (of) optical recording, 15:2:99
Medical applications (of) optics (guest editorial) 15:4:334
Microdensitometer optical performance—scalar theory (and) experiment, 15:6:559
Micrometer, optical, 15:3:247
Microscope objective (to examine) tracks (in) nuclear emulsions, (use of our specially designed) nonachromatic, 15:4:379
Miniaturized haploscope (for) testing binocular visual function, automated, 15:4:296
Mirror degradation (by) particle contamination, low-scatter, 15:6:516
Model (for) thermal imaging systems, static performance, 15:6:525
Modes (and) probabilities (for) UPC symbol scanning, error, 15:4:371
Modulator (for) optical sensors (based on) vibrating Fabry-Perot interferometer, infrared, 15:1:35
Moire photography, slotted apertures (for) multiplying grating frequencies (and) sharpening fringe patterns (in), 15:6:578
Moire technique (for) rapid alignment, focus, (and) scaling (of) imagery, 15:5:460
Monitoring (of) radiographic phototimers, acceptance testing (and) performance, 15:4:335
Mounting, (some thoughts on) lens, 15:5:428
Movies, compact holographic storage (and) projection (of) two-dimensional, 15:2:173
Moving-iron galvanometer scanner, scanning accuracy (of), 15:2:95
Multiplying grating frequencies (and) sharpening fringe patterns (in) moire photography, slotted apertures (for), 15:6:578

National Physical Laboratory x-ray gratings (and) spectrometers, (recent developments in) 15:3:226
Nearly BLIP detectors (in) infrared sensors, performance (of), 15:6:498
New astronomical polarimeter, 15:1:7
New photokeratoscopic technique, 15:4:303
Night highway lane dividers, performance (of) high visibility wet-, 15:1:52
Night vision devices, field test set (for), 15:3:251
Night vision lenses, (importance of) spectral bandwidth in quality assurance (of), 15:3:211
Nine-inch color film, laser color (recording directly on), 15:2:119
Noise, physical theory (of) xeroradiography (and) observation (of) photon, 15:4:344
Noise (in) writing applications, laser, 15:2:84
Nonachromatic microscope objective (to examine) tracks (in) nuclear emulsions, (use of our specially designed), 15:4:379
Non-contact Tonometer—(status report 1976), American Optical, 15:4:312
Nuclear emulsions, (use of our specially designed) nonachromatic microscope objective (to examine) tracks (in), 15:4:379

Object distribution, focal spot measurements (for) quality control purposes (using) random, 15:4:353
Objective (and) automated measurement (of) dynamic vision functions, 15:4:304
Objective (to examine) tracks (in) nuclear emulsions, (use of our specially designed) nonachromatic microscope, 15:4:379
Oblique incidence interferometer, 15:5:461
Observation (of) photon noise, physical theory (of) xeroradiography (and), 15:4:344
Off-axis defocusing, (proposed) image space scanner (with) reduced, 15:3:262
One hundred MW tunable CO_2 TEA laser volumetrically excited (without using any) preionization, simple, 15:1:17
Optic deflection measurements system, practical electro-, 15:1:61
Optic research (in) USA, (status of) fiber, 15:5:472
Optical adaptive techniques (COAT), compensation (of) propagation distortions (using) coherent, 15:2:151
Optical calibration (based on) pyroelectric radiometry, (implementation of a) system (of), 15:6:541
Optical color sorting (of) agricultural particles, electro-, 15:4:360
Optical design (for) lasers (in) surgery, 15:2:143
Optical design problems (in) laser systems (guest editorial), 15:2:130
Optical digital recording, 15:1:20
Optical engineering (in) Great Britain (guest editorial), 15:3:189
Optical fabrication (and) testing (guest editorial), 15:5:389
Optical fibres, instrument (for) testing telecommunications, 15:3:241
Optical flat, evaluation (of) expanded laser beams (using), 15:1:68
Optical flatware, annular lapping (of) precision, 15:5:407
Optical (and) magnetic digital recording—(a comparative review), 15:2:109
Optical micrometer, 15:3:247
Optical performance—scalar theory (and) experiment, microdensitometer, 15:6:559
Optical production line, (design of) high speed, 15:5:416

Optical recording media, (review and analysis of), 15:2:99
Optical (and) semiconductor components, surface inspection (of), 15:3:244
Optical sensors (based on) vibrating Fabry-Perot interferometer, infrared modulator (for), 15:1:35
Optical simulation (of) radar imagery, coherent, 15:5:467
Optical smoothing (for) raster scanned imagery, spot shaping (and) incoherent, 15:1:64
Optical style (commentary), specifications and tolerances, 15:5:390
Optical surfaces, production (and) assessment (of) supersmooth, 15:3:220
Optical systems, (design of) large aperture infrared, 15:4:364
Optical transform, scale invariant, 15:3:258
Optics (in) aerospace research, (recent applications of) coherent, 15:3:202
Optics (and) Battelle (guest editorial), 15:1:5
Optics, (design and manufacture of) large beryllium, 15:3:265
Optics devices (utilizing) thick phase gratings, integrated, 15:1:12
Optics, diamond turning (of), 15:5:431
Optics, epoxy replication (of), 15:5:435
Optics, fabricating infrared, 15:5:442
Optics, high power, 15:2:158
Optics (for) laser scanning, 15:2:90
Optics, medical applications (of), 15:4:334
Optics—(overview), lasers (and), 15:2:131
Optics, refracting replica aspheric, 15:3:197
Overview, lasers (and) optics—, 15:2:131

Particle contamination, low-scatter-mirror degradation (by), 15:6:516
Particles, electro-optical color sorting (of) agricultural, 15:4:360
Passive thermal screen (for) infrared scene simulation, 15:6:554
Patterns (in) moire photography, slotted apertures (for multiplying) grating frequencies (and) sharpening fringe, 15:6:578
Performance (of) high visibility wet-night highway lane dividers, 15:1:52
Performance model (for) thermal imaging systems, static, 15:6:525
Performance monitoring (of) radiographic phototimers, acceptance testing (and), 15:4:335
Performance (of) nearly BLIP detectors (in) infrared sensors, 15:6:498
Phase contrast viewing systems, equivalence (of) annular source (and) dynamic coherent, 15:3:276
Phase gratings, integrated optics devices (utilizing) thick, 15:1:12
Photofabrication, coherent, 15:3:190
Photographic films (used in) subtraction radiography, (characteristics and limitations of), 15:4:349
Photography, slotted apertures (for multiplying) grating frequencies (and) sharpening fringe patterns (in) moire, 15:6:578
Photokeratoscopic technique, new, 15:4:308
Photon noise, physical theory (of) xeroradiography (and) observation (of), 15:4:344
Phototimers, acceptance testing (and) performance monitoring (of) radiographic, 15:4:335
Physical theory (of) xeroradiography (and the) observation (of) photon noise, 15:4:344
Polarimeter, new astronomical, 15:1:7
Portable filter anomaloscope, 15:4:325
Power optics, high, 15:2:158
Practical electro-optic deflection measurements system, 15:1:61
Precision optical flatware, annular lapping (of), 15:5:407
Preionization, simple 100 MW tunable CO_2 TEA laser volumetrically excited (without using any), 15:1:17
Principle, (considerations on) falling load, 15:4:338
Probabilities (for) UPC symbol scanning, error modes (and), 15:4:371
Problems (in) laser systems, optical design, 15:2:130
Production (and) assessment (of) supersmooth optical surfaces, 15:3:220
Production, (some aspects of) large zoom lens, 15:3:231
Production line, design (of) high speed optical, 15:5:416
Profile measurement (with) electro-optics, high-speed, 15:1:44
Projection (of) two-dimensional movies, compact holographic storage (and), 15:2:173
Propagation distortions (using) coherent optical adaptive techniques [COAT], compensation (of), 15:2:151
Proposed image space scanner (with) reduced off-axis defocusing, 15:3:262
Putting (the) knife edge (to the) eye, 15:4:292
Pyroelectric radiometry, implementation (of a) system (of) optical calibration (based on), 15:6:541
Pyroelectric vidicon, applications (of the), 15:6:510

Quality assurance (of) night vision lenses, (importance of) spectral bandwidth (in), 15:3:211
Quality control purposes (using a) random object distribution, focal spot measurements (for), 15:4:353
Quantitative image analysis system, 15:3:236

Radar imagery, coherent optical simulation (of) 15:5:467
Radiance, measurements (and) calculations (of) atmospheric transmittance (and), 15:6:521
Radiation, (determination of) internal temperatures (within) semitransparent media (by means of) emitted, 15:1:39
Radiographic phototimers, acceptance testing (and) performance monitoring (of), 15:4:335
Radiography, characteristics (and) limitations (of) photographic films (used in) subtraction, 15:4:349
Radiometric system, generating (an) error analysis (for) airborne, 15:2:166
Radiometry, (implementation of a) system (of) optical calibration (based on) pyroelectric, 15:6:541
Radiometry, (trends in the) development (of), 15:6:537
Random object distribution, focal spot measurements (for) quality control purposes (using), 15:4:353
Rapid alignment, focus, (and) scaling (of) imagery, moire technique (for), 15:5:460
Raster scanned imagery, spot shaping (and) incoherent optical smoothing (for), 15:1:64
Real-time diagnostics (for a) laser fusion system, 15:1:29
Recent applications (of) coherent optics (in) aerospace research, 15:3:202
Recent developments (in) National Physical Laboratory x-ray gratings (and) spectrometers, 15:3:226
Recorders (for producing) Landsat large format images, (advantages of) color laser, 15:2:115
Recording—(comparative review), optical (and) magnetic digital, 15:2:109
Recording (of) earth resources, distinguishable density levels (in) image, 15:2:124
Recording (and) information handling—(review) gas lasers (for), 15:2:77
Recording (and) information handling (special report for record), laser, 15:2:75
Recording media, (review and analysis of), optical, 15:2:99
Recording (directly on) nine-inch color film, laser color, 15:2:119
Recording, optical digital, 15:1:20
Reduction (by) spatial sampling, speckle, 15:3:274
Refracting replica aspheric optics, 15:3:197
Refractor (employing) continuously variable sphere-cylinder corrections, remote subjective, 15:4:286
Remote subjective refractor (employing) continuously variable sphere-cylinder corrections, 15:4:286
Replica aspheric optics, refracting, 15:3:197
Replication (of) optics, epoxy, 15:5:435
Research, (recent applications of) coherent optics (in) aerospace, 15:3:202
Research (in) USA, (status of) fiber optic, 15:5:472
Resources, distinguishable density levels (in) image recording (of) earth, 15:2:124
Review (and) analysis (of) optical recording media, 15:2:99
Rotationally symmetric aspheric surfaces, computer controlled generation (of), 15:5:401

Sampling, speckle reduction (by) spatial, 15:3:274
Scalar theory (and) experiment, microdensitometer optical performance—, 15:6:559
Scale invariant optical transform, 15:3:258
Scaling (of) imagery, moire technique (for) rapid alignment, focus (and), 15:5:460
Scanner (with) reduced off-axis defocusing, proposed image space, 15:3:262
Scanner, scanning accuracy (of) moving-iron galvanometer, 15:2:95
Scanning accuracy (of the) moving-iron galvanometer scanner, 15:2:95
Scanning, error modes (and) probabilities (for) UPC symbol, 15:4:371
Scanning, optics (for) laser, 15:2:90
Scene simulation, (a) passive thermal screen (for) infrared, 15:6:554
Screen (for) infrared scene simulation, passive thermal, 15:6:554
Semiconductor components, surface inspection (of) optical (and), 15:3:244
Semitransparent media (by means of) emitted radiation, determination (of) internal temperatures (within), 15:1:39
Sensitivity improvement (by) step-biasing (in) holographic interferometry, (comment on), 15:3:279
Sensors, performance (of) nearly BLIP detectors (in) infrared, 15:6:498

Sensors (based on) vibrating Fabry-Perot interferometer, infrared modulator (for) optical, 15:1:35
Shaping (and) incoherent optical smoothing (for) raster scanned imagery, spot, 15:1:64
Sharpening fringe patterns (in) moire photography, slotted apertures (for multiplying) grating frequencies (and), 15:6:578
Shear interferometer, high efficiency grating lateral, 15:5:477
Short interferometers, laser beam divergence (in), 15:5:478
Simple 100 MW tunable CO_2 TEA laser volumetrically excited (without using any) preionization, 15:1:17
Simplified Talbot interferometers (for) lens testing, 15:4:328
Simulation, collimated displays (for) flight, 15:3:215
Simulation, passive thermal screen (for) infrared scene, 15:6:554
Simulation (of) radar imagery, coherent optical, 15:5:467
Slotted apertures (for multiplying) grating frequencies (and) sharpening fringe patterns (in) moire photography, 15:6:578
Smoothing (for) raster scanned imagery, spot shaping (and) incoherent optical, 15:1:64
Some aspects (of) large zoom lens production, 15:3:231
Some thoughts (on) lens mounting, 15:5:428
Sorting (of) agricultural particles, electro-optical color, 15:4:360
Space scanner (with) reduced off-axis defocusing, proposed image, 15:3:262
Spatial sampling, speckle reduction (by), 15:3:274
Specification (of) thermal imagers, 15:6:531
Specifications (and) tolerances, optical style—(a commentary) (guest editorial), 15:5:390
Speckle reduction (by) spatial sampling, 15:3:274
Spectral bandwidth (in) quality assurance (of) night vision lenses, (importance of), 15:3:211
Spectrometers, (recent developments in) National Physical Laboratory x-ray gratings (and) 15:3:226
Spectrophotometer (for) studying airglow, infrared, 15:3:255
Spectroscopy, time-frequency error product (in) time-resolved, 15:4:368
Sphere-cylinder corrections, remote subjective refractor (employing) continuously variable, 15:4:286
Spherical lens generating, 15:5:398
Spincasting contact lenses, 15:4:332
Spot measurements (for) quality control purposes (using a) random object distribution, focal, 15:4:353
Spot shaping (and) incoherent optical smoothing (for) raster scanned imagery, 15:1:64
Static performance model (for) thermal imaging systems, 15:6:525
Status (of) fiber optic research (in the) USA, 15:5:472
Status report 1976, American Optical non-contact Tonometer—, 15:4:312
Step-biasing (in) holographic interferometry, (comment on) sensitivity improvement (by), 15:3:279
Step-height interferometer (with) one nanometer resolution, 15:2:180
Storage (and) projection (of) two-dimensional movies, compact holographic, 15:2:173
Structure (of) fine ground surface, surface, 15:5:392
Subjective refractor (employing) continuously variable sphere-cylinder corrections, remote, 15:4:286
Subtraction radiography, (characteristics and) limitations (of) photographic films (used in), 15:4:349
Supersmooth optical surfaces, production (and) assessment (of), 15:3:220
Surface flaw inspection, high-speed, 15:1:48
Surface inspection (of) optical (and) semiconductor components, 15:3:244
Surface structure (of) fine ground surface, 15:5:392
Surfaces, computer controlled generation (of) rotationally symmetric aspheric, 15:5:401
Surfaces, production (and) assessment (of) supersmooth optical, 15:3:220
Surgery, optical design (for) lasers (in), 15:2:143
Symbol scanning, error modes (and) probabilities (for) UPC, 15:4:371
Symmetric aspheric surfaces, computer controlled generation (of) rotationally, 15:5:401
System, design (of) large aperture infrared optical, 15:4:364
System, generating (an) error analysis (for) airborne radiometric, 15:2:166
System (of) optical calibration (based on) pyroelectric radiometry, implementation (of a), 15:6:541
System, practical electro-optic deflection measurements, 15:1:61
System, quantitative image analysis, 15:3:236
System, real-time diagnostics (for) laser fusion, 15:1:29
Systems, equivalence (of) annular source (and) dynamic coherent phase contrast viewing, 15:3:276
Systems, optical design problems (in) laser, 15:2:130
Systems, static performance model (for) thermal imaging, 15:6:525

TEA laser volumetrically excited (without using any) preionization, simple 100 MW tunable CO_2, 15:1:17
Talbot interferometers (for) lens testing, simplified, 15:4:328
Technique, new photokeratoscopic, 15:4:308
Technique (for) rapid alignment, focus, (and) scaling (of) imagery, moire, 15:5:460
Techniques (COAT), compensation (of) propagation distortions (using) coherent optical adaptive, 15:2:151
Technology, applications (of) infrared, 15:6:483
Technology (and) applications, lateral interferometry—(its) characteristics, 15:2:146
Technology fundamentals, infrared, 15:6:484
Technology update, high transparency infrared materials—, 15:5:451
Telecommunications optical fibres, instrument (for) testing, 15:3:241
Temperatures (within) semitransparent media, (by means of) emitted radiation, determination (of) internal, 15:1:39
Test facilities, AEDC long wavelength infrared, 15:6:549
Test glass (in) lens testing, holographic instrument (to replace the), 15:1:24
Test set (for) night vision devices, field, 15:3:251
Testing, optical fabrication (and), 15:5:389
Testing (and) performance monitoring (of) radiographic phototimers, acceptance, 15:4:335
Testing, simplified Talbot interferometers (for) lens, 15:4:328
Testing telecommunications optical fibres, instrument (for), 15:3:241
Theory (of) xeroradiography (and) observation (of) photon noise, physical, 15:4:344
Thermal imagers, specification (of), 15:6:531
Thermal imaging systems, static performance model (for), 15:6:525
Thermal screen (for) infrared scene simulation, passive, 15:6:554
Thick phase gratings, integrated optics devices (utilizing), 15:1:12
Time-frequency error product (in) time-resolved spectroscopy, 15:4:368
Tolerances, optical style—commentary, specifications (and), 15:5:390
Tonometer—(status report 1976), American Optical non-contact, 15:4:312
Tracks (in) nuclear emulsions, (use of our specially designed) nonachromatic microscope objective (to examine), 15:4:379
Transform, scale invariant optical, 15:3:258
Transmittance (and) radiance, measurements (and) calculations (of) atmospheric, 15:6:521
Transparency infrared materials—technology update, high, 15:5:451
Trends (in the) development (of) radiometry, 15:6:537
Tunable CO_2 TEA laser volumetrically excited (without using any) preionization, simple 100 MW, 15:1:17
Turning (of) optics, diamond, 15:5:431
Two-dimensional movies, compact holographic storage (and) projection (of), 15:2:173

UPC symbol scanning, error modes (and) probabilities (for), 15:4:371
USA, (status of) fiber optic research (in), 15:5:472
Use (of our specially designed) nonachromatic microscope objective (to examine) tracks (in) nuclear emulsions, 15:4:379

Variable sphere-cylinder corrections, remote subjective refractor (employing) continuously 15:4:286
Vidicon, (applications of the) pyroelectric, 15:6:510
Viewing systems, equivalence (of) annular source (and) dynamic coherent contrast, 15:3:276
Visibility wet-night highway lane dividers, performance (of) high, 15:1:52
Visible wavelength COAT array, 15:1:56
Vision devices, field test set (for) night, 15:3:251
Vision functions, objective (and) automated measurement (of) dynamic, 15:4:304
Vision, instrumentation (in), 15:4:285
Vision lenses, (importance of) spectral bandwidth (in) quality assurance (of) night, 15:3:211
Visual function, automated miniaturized haploscope (for) testing binocular, 15:4:296

Wavelength COAT array, visible, 15:1:56
Wet-night highway lane dividers, performance (of) high visibility, 15:1:52
Writing applications, laser noise (in), 15:2:84

Xeroradiography (and) observation (of) photon noise, physical theory (of), 15:4:344
X-ray gratings (and) spectrometers, (recent developments in) National Physical Laboratory, 15:3:226
Zehnder heterodyne interferometer, Mach-, 15:5:464
Zoom lens production, (some aspects of) large, 15:3:231